

# Shadow Heated Towel Rail Safety Instructions and Operation Manual

906460



Heat Outdoors Unit 9, Stort Valley Industrial Estate Stansted Road, Bishop's Stortford Hertfordshire, United Kingdom CM23 2TU

www.heat-outdoors.co.uk 01279 466500 info@heat-outdoors.co.uk

# Contents

Important Information	3
Cleaning and Maintenance	4
Assembly Instructions	5
Product Information	7
Operation	8
Warranty	9

# **Safety Instructions**

### Read these instructions before using.

#### WARNING

Potential fire risk if the heater is covered by any flammable materials.


- WARNING: This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved.
- **WARNING**: Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
- Never stand, sit on, or hang on the towel warmer unit.
- Install the towel warmer at least 600mm above the floor in order to avoid a hazard for very young children.
- Never allow children to play on or with the towel warmer.
- Make sure that the electrical circuit breaker is shut off at the main panel before wiring or servicing your towel warmer.
- The towel warmer must be properly grounded.
- All wiring must be in accordance with the electrical safety regulations (NEC, CEC,IEC,BS,AS/NZS etc.) of the countries in which it operate and should be performed by a licensed professional who is certified to do electrical wiring.
- Never place your towel warmer inside a shower, sauna, or steam room.
- Never use an extension cord (for plug-in model).

# **Cleaning & Maintenance**

- Isolate the appliance from the power supply system and wait until it has sufficiently cooled off.
- After the appliance has cooled down, the housing can be wiped clean with a damp cloth.
- Wipe the appliance only with a clean and lint-free cloth or a soft brush.
- Do **NOT** touch the bulb element with your fingers. Stains can build up from touching the bulb and may cause the bulb to malfunction.
- Do **NOT** use any abrasive or hard cleaning products on any part of this heater.
- Wait until the unit is completely dry before use.

# **Assembly Instructions**


1. Affix bracket  $(B\times4)$  to the towel warmer(A) using screw M4\*12 (D)




Tips:


When assembling B2 and B3, its double threaded hole must point to top outside, and its single threaded hole must point outwards on right outside or left outside

 Affix the Towel Warmer to the Wall, Mark the bracket positions for the bore holes onto the wall. (You may also determine where to punch by measuring the distance of ab and ac)




3. Drill the holes. Insert the expansion tube (G) into 4 holes and use the screw (H) to tighten the Round tubes (C) onto the wall.





5. Affix the Towel Warmer to four Round tubes (C) and tighten the screw (E) on the Bracket (B) using Wrench (F).




Measure all dimensions before installation. The towel warmer only must be installed less than 3.3 feet (100cm) from properly grounded outlet. Do NOT use an extension cord.

# **Product Information**

Shape							
Size	460×900	460×893	460×785	460×703	460×595	460×443	
Thickness	83mm	160mm	83mm	160mm	83mm	160mm	
Power	160Watts	160Watts	160Watts	130Watts	130Watts	85watts	
Feature	4 hanging 3 heating	1 shelf 3 hanging 3 heating	3 hanging 3 heating	1 shelf 2 hanging 2 heating	2 hanging 2 heating	1 shelf 1 hanging 1 heating	
Material	Mainly Aluminum						
Heating element	Graphene carbon						
Switch	Electronic or Mechanical Switch						
IP grade	IP54						

#### TECHNICAL DATA



### 5 | OPERATION


#### \*Mechanical Model

With your Mechanical model secured to the wall and plugged into a grounded outlet, you are now ready to enjoy your towel warmer. Use the ON/OFF switch located on the bottom left side (when facing the towel warmer) to control when you want the unit to warm.

When the switch is ON, the towel warmer runs at 100% power and will reach temperatures between 40°C and 60°C depending on the following: running time, number of towels, type of towels, and ambient room temperature.

#### \*Electronic Model

A towel warmer with electronic control unit include programmable timer and individual heating zone for luxurious and economical use of the towel warmer.



### Warning

For optimum operation of your new towel warmer, we recommend placing no more than three (3) towels at a time on the warmer. Place the towels in a way to maximize the contact area between the towel and the towel warmer.

### 6 | WARRANTY

THANK YOU FOR CHOOSING TO BUY THIS PRODUCT.

Customers can contact us for repairing or replacement of your appliance if it is found to be defective due to faulty materials, workmanship or function within 1 years of purchase or delivery.

We do not guarantee the repair or replacement of a product where a defect is the result of:

- Damage caused by not carrying out the recommended appliance maintenance.
- Accidental damage, faults caused by negligent use or care, misuse, neglect, careless operation or handling of the appliance which is not in accordance with our Operating Manual.
- Use of the appliance for anything other than normal domestic household purposes.
- Faulty installation.
- Repairs or alterations carried out by parties other than authorised agents.

If you are in any doubt as to what is covered by your guarantee, please do feel free to contact us.

### 7 | DISPOSAL



The icon with the crossed-out waste bin on waste electrical or electronic equipment stipulates that this equipment must not be disposed of with the household waste at the end of its life. You will find collection points for free return of waste electrical and

electronic equipment in your vicinity. The addresses can be obtained from your municipality or local administration.

The separate collection of waste electrical and electronic equipment aims to enable the re-use, recycling and other forms of recovery of waste equipment as well as to prevent negative effects for the environment and human health caused by the disposal of hazardous substances potentially contained in the equipment.